Plant Molecular Biology

Contents of Volume 19 (1992)

Vol. 19 No. 1 January (I) 1992

Preface vii

Transcriptional and post-transcriptional regulation of gene expression in plants
by Cris Kuhlemeier 1

Agrobacterium and plant genetic engineering
by Paul J.J. Hooykaas & Rob A. Schilperoort 15

Plant-transposable elements and gene tagging
by Alfons Gierl & Heinz Saedler 39

Plant and organ development
by Robert F. Lyndon & D. Francis 51

Molecular biology of fruit ripening and its manipulation with antisense genes
by Julie Gray, Steve Picton, Junaid Shabbeer, Wolfgang Schuch & Don Grierson 69

Developmental aspects of the Rhizobium-legume symbiosis
by Henk J. Franssen, Irma Vijn, Wei Cai Yang & Ton Bisseling 89

The molecular biology of disease resistance
by Noel T. Keen 109

The search for the proteinase inhibitor-inducing factor, PIIF
by Clarence A. Ryan 123

Molecular basis of disease susceptibility in the Texas cytoplasm of maize
by Charles S. Levings, III & James N. Siedow 135

The chloroplast genome
by Masahiro Sugiura 149

The biochemistry and molecular biology of plant lipid biosynthesis
by Antoni R. Slabas & Tony Fawcett 169

Vol. 19 No. 2 May 1992

Research articles

I. Andresen, W. Becker, K. Schlüter, J. Burges, B. Parthier and K. Apel: The identification of leaf thionin as one of the main jasmonate-induced proteins of barley (*Hordeum vulgare*) 193

A.M. Showalter, A.D. Butt and S. Kim: Molecular details of tomato extensin and glycine-rich protein gene expression 205

Y.C. Chang and L.L. Walling: Chlorophyll *a/b*-binding protein genes are differentially expressed during soybean development 217

G.S. Ross, M.L. Knighton and M. Lay-Yee: An ethylene-related cDNA from ripening apples 231

T. Kiyosue, K. Yamaguchi-Shinozaki, K. Shinozaki, K. Higashi, S. Satoh, H. Kamada and H. Harada: Isolation and characterization of a cDNA that encodes ECP31, an embryogenic-cell protein from carrot 239

S. Schrader and U. Johanningmeier: The carboxy-terminal extension of the D1-precursor protein is dispensable for a functional photosystem II complex in *Chlamydomonas reinhardtii* 251

G. Giovinazzo, L.A. Manzocchi, M.W. Bianchi, I. Coraggio and A. Viotti: Functional analysis of the regulatory region of a zein gene in transiently transformed protoplasts 257

A.D. Cole, S. Heath-Pagliuso, A. Baich and E.B. Kmiec: *In vitro* analysis of a type I DNA topoisomerase activity from cultured tobacco cells 265

A. Gauly, A. Batschauer, A. von Arnim and H. Kössel: Isolation and characterization of a gene encoding a chlorophyll *a/b*-binding protein from mustard and the targeting of the encoded protein to the thylakoid membrane of pea chloroplasts *in vitro* 277

C.E.W. Leitsch and K.V. Kowallik: Nucleotide sequence and phylogenetic implication of the ATPase subunits β and ε encoded in the chloroplast genome of the brown alga *Dictyota dichotoma* 289

K.J. Edwards, H. Thompson, D. Edwards, A. de Saizieu, C. Sparks, J.A. Thompson, A.J. Greenland, M. Eyers and W. Schuch: Construction and characterisation of a yeast artificial chromosome library containing three haploid maize genome equivalents 299

Update section

A. Vera and M. Sugiura: Combination of *in vitro* capping and ribonuclease protection improves the detection of transcription start sites in chloroplasts 309

D.R. Pring, J.A. Mullen and F. Kempken: Conserved sequence blocks 5′ to start codons of plant mitochondrial genes 313

B.S. Shorrosh and R.A. Dixon: Sequence analysis and developmental expression of an alfalfa protein disulfide isomerase 319

A. Sakamoto, H. Ohsuga and K. Tanaka: Nucleotide sequences of two cDNA clones encoding different Cu/Zn-superoxide dismutases expressed in developing rice seed (*Oryza sativa* L.) 323

T. Herold, B. Haas, R.P. Singh, A. Boucher and H.L. Sänger: Sequence analysis of five new field isolates demonstrates that the chain length of potato spindle tuber viroid (PSTVd) is not strictly conserved but is variable as in other viroids 329

J.C. Litts, M.B. Erdman, N. Huang, E.E. Karrer, A. Noueiry, R.S. Quatrano and R.L. Rodriguez: Nucleotide sequence of the rice (*Oryza sativa*) Em protein gene (*Emp1*) 335

L. Lepiniec, E. Keryer, D. Tagu, P. Gadal and C. Crétin: Complete nucleotide sequence of a sorghum gene coding for the phosphoenolpyruvate carboxylase involved in C4 photosynthesis 339

K.H. Larsson, J.A. Napier and J.C. Gray: Import and processing of the precursor form of the gamma subunit of the chloroplast ATP synthase from tobacco 343

T. Araki, J. Funatsu, M. Kuramoto and T. Torikata: Amino acid sequence of the N-terminal domain of yam (*Dioscorea japonica*) aerial tuber acidic chitinase. Evidence for the presence of a wheat germ agglutinin domain in matured acidic chitinase from unstressed tuber 351

Vol. 19 No. 3 June 1992

Research articles

K.L. Greer and S.S. Golden: Conserved relationship between *psbH* and *petBD* genes: presence of a shared upstream element in *Prochlorothrix hollandica* 355

T.W. Becker, M. Caboche, E. Carrayol and B. Hirel: Nucleotide sequence of a tobacco cDNA encoding plastidic glutamine synthetase and light inducibility, organ specificity and diurnal rhythmicity in the expression of the corresponding genes of tobacco and tomato 367

P. Villand, R. Aalen, O.-A. Olsen, E. Lüthi, A. Lönneborg and L.A. Kleczkowski: PCR amplification and sequences of cDNA clones for the small and large subunits of ADP-glucose pyrophosphorylase from barley tissues 381

T.J. Lough, B.D. Reddington, M.R. Grant, D.F. Hill, P.H.S. Reynolds and K.J.F. Farnden: The isolation and characterisation of a cDNA clone encoding L-asparaginase from developing seeds of lupin (*Lupinus arboreus*) 391

J. Ray, P. Moureau, C. Bird, A. Bird, D. Grierson, M. Maunders, M. Truesdale, P. Bramley and W. Schuch: Cloning and characterization of a gene involved in phytoene synthesis from tomato 401

K. Kojima, N. Yamamoto and S. Sasaki: Structure of the pine (*Pinus thunbergii*) chlorophyll *a/b*-binding protein gene expressed in the absence of light 405

K. Recourt, A.J. van Tunen, L.A. Mur, A.A.N. van Brussel, B.J.J. Lugtenberg and J.W. Kijne: Activation of flavonoid biosynthesis in roots of *Vicia sativa* subsp. *nigra* plants by inoculation with *Rhizobium leguminosarum* biovar *viciae* 411

J. Amselem and M. Tepfer: Molecular basis for novel root phenotypes induced by *Agrobacterium rhizogenes* A4 on cucumber 421

P.J. Goldmark, J. Curry, C.F. Morris and M.K. Walker-Simmons: Cloning and expression of an embryo-specific mRNA up-regulated in hydrated dormant seeds 433

J.S. Keddie, G. Hübner, S.P. Slocombe, R.P. Jarvis, I. Cummins, E.-W. Edwards, C.H. Shaw and D.J. Murphy: Cloning and characterisation of an oleosin gene from *Brassica napus* 443

M.J. Holdsworth, C. Grierson, W. Schuch and M. Bevan: DNA-binding properties of cloned TATA-binding protein from potato tubers 455

P.H.S. Reynolds, L.A. Smith, J.M.J.J. Dickson, W.T. Jones, S.D. Jones, K.A. Rodber, A. Carne and C.P. Liddane: Molecular cloning of a cDNA encoding aspartate aminotransferase-P_2 from lupin root nodules 465

M.-L. Chye, C.-T. Tan and N.-H. Chua: Three genes encode 3-hydroxy-3-methylglutaryl-coenzyme A reductase in *Hevea brasiliensis*: *hmg1* and *hmg3* are differentially expressed 473

K. Eimert and F. Siegemund: Transformation of cauliflower (*Brassica oleracea* L. var. *botrytis*) – an experimental survey 485

Update section

A. Bovy, G. de Vrieze, M. Borrias and P. Weisbeek: Isolation and sequence analysis of a gene encoding a basic cytochrome c-553 from the cyanobacterium *Anabaena* SP. PCC 7937 491

K. Shinozaki, K. Yamaguchi-Shinozaki, T. Urao and M. Koizumi: Nucleotide sequence of a gene from *Arabidopsis thaliana* encoding a *myb* homologue 493

A. Pay, E. Heberle-Bors and H. Hirt: An alfalfa cDNA encodes a protein with homology to translationally controlled human tumor protein 501

N. Shindo, R. Krengiel, P.S.T. Brioso, A.C.P. Vicente, M. Weyne, D.E..de Oliveira and B. Timmerman: Complete nucleotide sequence of the 22 kDa coat protein of Andean Potato Mottle Virus 505

R.P. Martin, E. Schwob, H. Augustyniak, W. Makałowski, P. Stiegler and G. Dirheimer: Nucleotide sequence of the mitochondrial 18S rRNA gene from lupine (*Lupinus luteus*) 509

R.J. Okagaki: Nucleotide sequence of a long cDNA from the rice *waxy* gene 513

C.D. Atreya, P.L. Atreya and T.P. Pirone: Construction of in-frame chimeric plant viral genes by simplified PCR strategies 517

Y. Ai, D.-S. Tsai and T.-H. Kao: Cloning and sequencing of cDNAs encoding two *S* proteins of a self-compatible cultivar of *Petunia hybrida* 523

D. Bartling, A. Heese and E.W. Weiler: Nucleotide sequence of a cDNA encoding an *Arabidopsis* cyclophilin-like protein 529

D. Rouse, C.A. Gehring and R.W. Parish: Structure and sequence of a dehydrin-like gene in *Arabidopsis thaliana* 531

M.E. Knight, J.A. Ray and W. Schuch: Isolation of a gene from maize encoding a chlorophyll *a/b*-binding protein 533

K. Yakura and K. Nishikawa: The nucleotide sequence of the rDNA spacer region between the 25S and 18S rRNA genes in a species of the genus *Vicia, V. hirsuta* 537

E.-C. Pua, G.-E. Sim and M.-L. Chye: Isolation and sequence analysis of a cDNA clone encoding ethylene-forming enzyme in *Brassica juncea* (L.) Czern & Coss 541

Vol. 19 No. 4 July 1992

Research articles

S. Yanagisawa and K. Izui: MNF1, a leaf tissue-specific DNA-binding protein of maize, interacts with the cauliflower mosaic virus 35S promoter as well as the C_4 photosynthetic phosphoenolpyruvate carboxylase gene promoter 545

S.A.J. Warner, R. Scott and J. Draper: Characterisation of a wound-induced transcript from the monocot asparagus that shares similarity with a class of intracellular pathogenesis-related (PR) proteins 555

S. Lobreaux, O. Massenet and J.-F. Briat: Iron induces ferritin synthesis in maize plantlets 563

D.E. Nelson, K.G. Raghothama, N.K. Singh, P.M. Hasegawa and R.A. Bressan: Analysis of structure and transcriptional activation of an osmotin gene 577

Y. Eyal, O. Sagee and R. Fluhr: Dark-induced accumulation of a basic pathogenesis-related (PR-1) transcript and a light requirement for its induction by ethylene 589

M. Schneider, E. Jarchow and B. Hohn: Mutational analysis of the 'conserved region' of maize streak virus suggests its involvement in replication 601

W. Paul, R. Hodge, S. Smartt, J. Draper and R. Scott: The isolation and characterisation of the tapetum-specific *Arabidopsis thaliana* A9 gene 611

N. Hopf, N. Plesofsky-Vig and R. Brambl: The heat shock response of pollen and other tissues of maize 623

K. Washio and K. Ishikawa: Structure and expression during the germination of rice seeds of the gene for a carboxypeptidase 631

J.E. Bourque and W.R. Folk: Suppression of gene expression in plant cells utilizing antisense sequences transcribed by RNA polymerase III 641

I.Y. Perera and R.E. Zielinski: Structure and expression of the *Arabidopsis* CaM-3 calmodulin gene 649

M.D. Barros, E. Czarnecka and W.B. Gurley: Mutational analysis of a plant heat shock element 665

A.A. Gatenby: Protein folding and chaperonins 677

Update section

S. Kurkela and M. Borg-Franck: Structure and expression of *kin2*, one of two cold- and ABA-induced genes of *Arabidopsis thaliana* 689

A.G. Good and D.H. Paetkau: Identification and characterization of a hypoxically induced maize lactate dehydrogenase gene 693

J. Brandt, V.S. Nielsen, H. Thordal-Christensen, D.J. Simpson and J.S. Okkels: A barley cDNA clone encoding a Type III chlorophyll *a/b*-binding polypeptide of the light-harvesting complex II 699

Y. Ogushi, T. Tanaka, D. Yamauchi and T. Minamikawa: Nucleotide sequence of a gene for an endopeptidase (EP-C1) from *Phaseolus vulgaris* 705

W. Dieryck, M.-F. Gautier, V. Lullien and P. Joudrier: Nucleotide sequence of a cDNA encoding a lipid transfer protein from wheat (*Triticum durum* Desf.) 707

I. Nishida, T. Beppu, T. Matsuo and N. Murata: Nucleotide sequence of a cDNA clone encoding a precursor to stearoyl-(acyl-carrier-protein) desaturase from spinach, *Spinacia oleracea* 711

Vol. 19 No. 5 August 1992

News and Views iii

Research articles

G. Lu and R.J. Ferl: Site-specific oligodeoxynucleotide binding to maize *Adh1* gene promoter represses *Adh1*-GUS gene expression *in vivo* 715

J.M. McGrath, W.B. Terzaghi, P. Sridhar, A.R. Cashmore and E. Pichersky: Sequence of the fourth and fifth Photosystem II Type I chlorophyll *a/b*-binding protein genes of *Arabidopsis thaliana* and evidence for the presence of a full complement of the extended CAB gene family 725

K. Lawton, E. Ward, G. Payne, M. Moyer and J. Ryals: Acidic and basic class III chitinase mRNA accumulation in response to TMV infection of tobacco 735

B.R. Thomas, D. Laudencia-Chingcuanco and L.D. Gottlieb: Molecular analysis of the plant gene encoding cytosolic phosphoglucose isomerase 745

M. Hildebrand, P. Hasegawa, R.W. Ord, V.S. Thorpe, C.A. Glass and B.E. Volcani: Nucleotide sequence of diatom plasmids: identification of open reading frames with similarity to site-specific recombinases 759

L.-G. Franzén and G. Falk: Nucleotide sequence of cDNA clones encoding the β subunit of mitochondrial ATP synthase from the green alga *Chlamydomonas reinhardtii*: The precursor protein encoded by the cDNA contains both an N-terminal presequence and a C-terminal extension 771

C. Almoguera and J. Jordano: Developmental and environmental concurrent expression of sunflower dry-seed-stored low-molecular-weight heat-shock protein and Lea mRNAs 781

M.E. Knight, C. Halpin and W. Schuch: Identification and characterisation of cDNA clones encoding cinnamyl alcohol dehydrogenase from tobacco 793

J.-M. Neuhaus, S. Flores, D. Keefe, P. Ahl-Goy and F. Meins, Jr.: The function of vacuolar β-1,3-glucanase investigated by antisense transformation. Susceptibility of transgenic *Nicotiana sylvestris* plants to *Cercospora nicotianae* infection 803

A. Perl, O. Shaul and G. Galili: Regulation of lysine synthesis in transgenic potato plants expressing a bacterial dihydrodipicolinate synthase in their chloroplasts 815

J. Paszkowski, A. Peterhans, R. Bilang and W. Filipowicz: Expression in transgenic tobacco of the bacterial neomycin phosphotransferase gene modified by intron insertions of various sizes 825

W.-J. Shen, M.S. Williamson and B.G. Forde: Functional analysis of the promoter region of a nodule-enhanced glutamine synthetase gene from *Phaseolus vulgaris* L. 837

G. Dallmann, L. Sticher, C. Marshallsay and F. Nagy: Molecular characterization of tobacco cDNAs encoding two small GTP-binding proteins 847

Update section

W.L. McKendree, Jr. and R.J. Ferl: Functional elements of the *Arabidopsis Adh* promoter include the G-box 859

L.R. Ceci, M. Dell'Orco and R. Gallerani: Identification of a nuclear-encoded sunflower mitochondrial tRNA-Leu (AAG) 863

T. Kawata, M. Minami, T.-A. Tamura, K. Sumita and M. Iwabuchi: Isolation and characterization of a cDNA clone encoding the TATA box-binding protein (TFIID) from wheat 867

I. Cummins and D.J. Murphy: cDNA sequence of a sunflower oleosin and transcript tissue specificity 873

D.J. Scanlan, J. Newman, M. Sebaihia, N.H. Mann and N.G. Carr: Cloning and sequence analysis of the glucose-6-phosphate dehydrogenase gene from the cyanobacterium *Synechococcus* PCC 7942 877

M.-B. Wang, D. Boulter and J.A. Gatehouse: A complete sequence of the rice sucrose synthase-1 (*RSs1*) gene 881

J. Kataoka, N. Habuka, M. Miyano, C. Masuta and A. Koiwai: Nucleotide sequence of cDNA encoding β-luffin, another ribosome-inactivating protein from *Luffa cylindrica* 887

Vol. 19 No. 6 September 1992

Research articles

P.J. Rushton, R. Hooley and C.M. Lazarus: Aleurone nuclear proteins bind to similar elements in the promoter regions of two gibberellin-regulated α-amylase genes 891

A.K. Huttly, A.L. Phillips and J.W. Tregear: Localisation of *cis* elements in the promoter of a wheat α-*Amy2* gene 903

M.-C. Flamand, J.-P. Goblet, G. Duc, M. Briquet and M. Boutry: Sequence and transcription analysis of mitochondrial plasmids isolated from cytoplasmic male-sterile lines of *Vicia faba* 913

D. Robertson, A.K. Weissinger, R. Ackley, S. Glover and R.R. Sederoff: Genetic transformation of Norway spruce (*Picea abies* (L.) Karst) using somatic embryo explants by microprojectile bombardment 925

S. Chamberland, N. Daigle and F. Bernier: The legumin boxes and the 3' part of a soybean β-conglycinin promoter are involved in seed gene expression in transgenic tobacco plants 937

S. Bagga, D. Sutton, J.D. Kemp and C. Sengupta-Gopalan: Constitutive expression of the β-phaseolin gene in different tissues of transgenic alfalfa does not ensure phaseolin accumulation in non-seed tissue 951

P. Vaux, F. Guerineau, R. Waugh and J.W.S. Brown: Characterization and expression of U1 snRNA genes from potato 959

C. Marshallsay, S. Connelly and W. Filipowicz: Characterization of the U3 and U6 snRNA genes from wheat: U3 snRNA genes in monocot plants are transcribed by RNA polymerase III 973

E. Czarnecka, J.C. Ingersoll and W.B. Gurley: AT-rich promoter elements of soybean heat shock gene *Gmhsp17.5E* bind two distinct sets of nuclear proteins *in vitro* 985

U. Maid and K. Zetsche: A 16 kb small single-copy region separates the plastid DNA inverted repeat of the unicellular red alga *Cyanidium caldarium*: physical mapping of the IR-flanking regions and nucleotide sequences of the *psbD-psbC*, *rps16*, 5S rRNA and *rpl21* genes 1001

M.A. Bauchrowitz, D.G. Barker, I. Nadaud, P. Rougé and B. Lescure: Lectin genes from the legume *Medicago truncatula* 1011

T. Mozo and P.J.J. Hooykaas: Factors affecting the rate of T-DNA transfer from *Agrobacterium tumefaciens* to *Nicotiana glauca* plant cells 1019

M. Roberton and P.M. Chandler: Pea dehydrins: identification, characterization and expression 1031

Update section

A. Kolchinsky and P.M. Gresshoff: Nucleotide sequence of the 5S rRNA gene from *Glycine soja* 1045

J.P. Breen and M.L. Crouch: Molecular analysis of a cruciferin storage protein gene family of *Brassica napus* 1049

O. White, C. Soderlund, P. Shanmugan and C. Fields: Information contents and dinucleotide compositions of plant intron sequences vary with evolutionary origin 1057

W. Becker and K. Apel: Isolation and characterization of a cDNA clone encoding a novel jasmonate-induced protein of barley (*Hordeum vulgare* L.) 1065

R. D'Ovidio: Nucleotide sequence of a 5.8S rDNA gene and of the internal transcribed spacers from *Populus deltoides* 1069

K.-Y. To, C.-Y. Li, Y.-S. Chang and S.-T. Liu: Direct sequencing of tobacco chloroplast genome by the polymerase chain reaction 1073

J.S. Keddie, E.-W. Edwards, T. Gibbons, C.H. Shaw and D.J. Murphy: Sequence of an oleosin cDNA from *Brassica napus* 1079

Instructions to Authors 1085